

Shower and Laundry Trailer Units Handbook

INTRODUCTION

PURPOSE

The First Baptist Church of Chandler, Oklahoma, joins with the Oklahoma Southern Baptist Disaster Relief efforts to meet the needs of people and Disaster Relief personnel during times of disaster by providing a shower/laundry trailer and a laundry trailer. The shower/laundry unit will have the capability of providing six private showers, storage, limited living area, washer and dryer. The laundry trailer will have four washer, five dryers, storage and folding areas. Both trailers carry propane and the necessary hookups and hoses for water and drainage.

Shower/Laundry Trailer specifications:

32' x 8' box with 9' gooseneck
Gooseneck has room for storage and small living quarters
6 showers
3 air conditioner/heating units
Washer/dryer, heavy duty, high efficiency
Electric service required is 60A-220V

Laundry Trailer specifications:

28' box with bumper pull front end
4 washers/5 dryers, standard
Unit aisle way large enough for 2 sleeping cots
Electric service required is 220V

GOAL

Our goal is to do compassionate work that honors God. We desire to provide shower and laundry units capable of meeting needs of relief workers and others as needed. We will fulfill needs in a clean and sanitary environment.

It will be necessary to complete training on the unit in order to:

Position unit in an ample space 60' x 30'

Prepare unit for operation

Prepare safe environment

Prepare proper connections for propane gas use

Staff unit for possible 24-hour operation


Thank you for your time and consideration in preparing to perform this vital ministry. The greatest rewards will be honoring God, ministering to those in need, sharing our faith, and making new friends.

Sam Porter
Director
Oklahoma Baptist Disaster Relief
Sporter@sbgco.org
405-942-3000 ext 337
405-990-8155

Wes Johnson
Instructor-Shower/Laundry Units
Oklahoma Baptist Disaster Relief
fourjfarms@aol.com
405-258-5890 (h)
405-258-8801 (c)

First Baptist Church Chandler, OK 405-258-0175

Oklahoma Disaster Relief Shower and Laundry Unit "Showers of Blessing"



SHOWER/LAUNDRY UNITS

SAFETY

Safety is defined as the state of being free from the risk of experiencing or causing injury, danger, or loss. Also, our attitude toward safety must be positive and all rules, restrictions and guidance followed. Remember, we are dealing with propane gas, electricity and water on surfaces that may be slippery.

Area Safety

Insure that:

Area surrounding unit is clean and free of debris
Electric cords are properly connected and not in traveled area
*Propane gas bottles are secured and properly connected
Heating units are secured and "HOT-CAUTION" signs are out
Water hose/grey water lines are well marked
Awnings and ropes are well marked
Overhead clearance is sufficient, approximately 11' height
Fire extinguishers are placed appropriately

* See Operators Manual for detailed propane guidance. Manual located in Bay 1.

Interior Safety

Insure that:

Personnel wear protective gloves while doing laundry or sanitizing showers

Used towels and clutter are removed after each shower Showers and chairs are sanitized after each use All lighting is working

THINK SAFE, BE SAFE, AND PRACTICE SAFETY!!!

TRAVEL PREPARATION FOR SHOWER/LAUNDRY TRAILER

Operational Checks:

Insure that:

Tires are:

Properly inflated PSI 80#
Check tread wear
Spare tire properly inflated
Jacks stowed
Spin wrench stowed
Emergency kit stowed
Chocks stowed

Wheels

Lug bolts are tight No cracks in rims

Springs

No breaks Shackle bolts are tight Grease fittings are lubricated

Doors

Closed, latched and locked for travel

Awnings

Retracted and locked for travel Tension rod stored in Bay 1

Interior cargo

All stowed equipment strapped and secured All tubs in designated rooms Shipping bolts installed in washer

SHOWER/LAUNDRY UNIT IS NOW READY FOR TRAVEL

OPERATION PREPARATION FOR SHOWER/LAUNDRY UNIT

Once the unit has been positioned, the following actions are necessary to become operational:

Unit is leveled or slightly raised in front of unit to allow grey water to flow toward rear of unit for drainage.

Tent bags removed and decision made to stow or erect.

Hoses and other supplies removed as needed.

Propane bottles and water heater removed from rear compartment and set up near the driver side rear wheels Connect propane, water and drain hoses

Connect power cord

(NOTE; POWER CORD, REGARDLESS OF POWER SOURCE, MUST BE CONNECTED TO TRAILER FIRST.)

Steps placed in open position and locked.

Awnings (if needed) are opened and locked. Place weights at corners, attached to tie downs to hold awning in safe position. (Five gallon buckets of water are used as weights.)

Install anti-flappers to sides of awning, regardless of wind speed.

Tables, tubs and crates of supplies are removed from rooms 2 and 3 and placed in work areas. Extra shampoo and soap boxes are left in corner of room 2.

Living quarters are cleared of materials and ready for use.

Organize and distribute bathing items

Set up laundry.

Remove shipping bolts from washer

Set up one 6' table in laundry room

Store extra supplies in usable manner

Establish contact with next level of authority.

The Shower/Laundry Unit is now operational.

TRAVEL PREPARATION FOR LAUNDRY UNIT

Operational Checks:

Insure that:

Tires:

Properly inflated PSI 60# Check tread wear Spare tire properly inflated Jacks stowed Spin wrench towed

Wheels:

Lug bolts are tight No cracks in rims

Springs

No breaks Shackle bolts are tight Grease fittings are lubricated

Doors:

Closed, latched and locked for travel

Interior cargo:

Step placed in doorwell
All stowed equipment strapped and secured
All doors shut and latched
No items left on counter top or wire shelves

LAUNDRY UNIT IS NOW READY FOR TRAVEL

OPERATION PREPARATION FOR LAUNDRY UNIT

Once the unit has been positioned, the following actions are necessary to become operational:

Unit is leveled or slightly raised on folding cabinet side of unit to allow grey water to flow toward washer side of unit for drainage.

Propane bottles, water hoses and grey water hoses removed and set up on washer side of trailer.

Connections of propane water and drain hoses can now be made

Power cord is connected. (NOTE; POWER CORD, REGARDLESS OF POWER SOURCE, MUST BE CONNECTED TO THE TRAILER FIRST.)

Step is placed in position
Foam tubes are slipped around wires on back door
Supplies are distributed to work areas
Establish contact with next level of authority.

The Laundry Unit is now operational.

PERSONAL ITEMS

Items recommended to bring on trip are:

Athletic shoes or rubber sole shoes

Sunscreen

Insect repellant

Prescription medicines

Cell phone

Disaster relief team uniform, INCLUDING ID TAG

All personal laundry should have your name indelibly written on EVERY item.

One towel, wash cloth, soap and shampoo in case of evacuation.

SHOWER AND LAUNDRY TRAILER CONTENTS BY STORAGE BAY

| TEM | BAY | | ACQUIRED | |
|-------------------------------|---------------|-----|----------|--------------------------------------|
| paper plates, cups, etc | 1 | D | D | stored in step area |
| tea bags | 1 | D | D | stored in step area |
| coffee filters | 1 | D | D | stored in step area |
| batteries | 1 | D | D | AA,C,D,9v,lantern store in step area |
| electricity test tools | 1 | Е | P | stored in step area |
| 4 wheel chucks | 1 | Е | P | |
| feminine products | 1 | D | P | |
| 1 fan | 1 | Е | P | |
| Men/Women shower signs | 1 | Е | P | to designate shower arrangement |
| duct tape | 1 | D | P | general use |
| 2 awning retractor rods | 1 | Е | P | keep on hook |
| 1 tv | 1 | E | D | with remote |
| 1 medical kit | 1 | Е | D | |
| 1 air pump for mattresses | 1 | Е | D | stored in step area |
| 1 battery pwrd ice chest | 1 | Е | D | |
| | | | | |
| 1 coffee pot | 1 | Е | D | stored in step area |
| 1 2# ground coffee | 1 | D | D | |
| gal water | 1 | D | D | *** |
| canned soup | 1 | D | D | *** |
| paper towels | 1 | D | D | stored in step area |
| 2 twin mattresses | $\frac{1}{1}$ | E | D | For use in shower bays |
| 1 queen inflatable mattress | 1 | E | D | 1 for shower master |
| 6 wool blankets | 1 | E | D | Red Cross donated |
| 1 set queen sheets | 1 | E | D | |
| 7 pillow cases | 1 | E | D | |
| 6 pillows | $\frac{1}{1}$ | E | D | |
| 1 microwave | $\frac{1}{1}$ | E | D | |
| 1 box tracts | $\frac{1}{1}$ | D | D | |
| 1 Fire extinguisher | 1 | E | P | Must check/6 months |
| 1 portable cd player | $\frac{1}{1}$ | E | D | |
| 1 operations manual for trlr | $\frac{1}{1}$ | E | D | |
| warranty papers & fire box | $\frac{1}{1}$ | E | D | |
| 1 tub sink, installed | 1 | E | P | |
| 1 velux blanket | 1 | E | L | belongs to Johnson's |
| 2 boxes elec connections | 1 | E | P | to be hooked to power trlr |
| 1 box shipping bolts | $\frac{1}{1}$ | E | P | for washing machine transport |
| | $\frac{1}{1}$ | D | P | stored in step area |
| toilet paper | $\frac{1}{1}$ | E | D | to catch drain of sink |
| 1 5 gal bucket | | E | P | in case by door |
| 1 12 v battery trickle charge | 1 | I E | r | in case by door |

| 2 3drwr bins for small item | 2 | E | D | |
|-----------------------------|---|---|---|-----------------------------|
| Contents of drawers | 2 | D | D | Rinse, razors, dental, hair |
| 3 6" tables | 2 | E | P | |
| 3-13 gal laundry cans | 2 | Е | D | |
| 3-3gal trash cans | 2 | Е | D | 1 filled with tshirt sacks |
| 1 propane dollie | 2 | Е | P | carry on top of tables |
| 1 propane manifold | 2 | Е | P | carry on top of tables |
| 3 shower stools/mirrors | 2 | Е | P | |
| bath towels | 2 | Е | D | |
| i | | | | |
| wash cloths | 2 | Е | D | |
| 3 shower stalls/curtains | 2 | Е | P | |

| 3 shower stools/mirrors | 3 | Е | P | |
|--------------------------------|---|---|---|---------------------------------|
| 1 ice chest | 3 | Е | D | orange polystyrene |
| 2 truck mats/flooring | 3 | Е | D | Flooring outside shower units |
| 1 brut with tools | 3 | M | P | listed below |
| 1 crate tarps | 3 | Е | D | |
| 1box/1crate bar soap | 3 | D | D | keep in plastic wrap |
| 1 crate indiv shampoo | 3 | D | D | keep in plastic wrap |
| 2 laundry baskets | 3 | Е | D | |
| 5 5 gal buckets with lids | 3 | Е | D | |
| 1 3step stepladder | 3 | Е | P | |
| 4 crates laundry supplies | 3 | D | D | listed below |
| 1 tub sink with fittings | 3 | E | P | For outside hydrant wash area |
| | | | | |
| 1 double shower stool | 3 | Е | D | for larger persons |
| 2 metal cots | 3 | Е | D | |
| 1 tray laundry pins | 3 | Е | P | tray #5 and one extra beads kit |
| 1 crate clothespins, line, etc | 3 | Е | D | 20 shower curtain clips |
| 1 water filter kit in tub | 3 | Е | P | |
| 1 set water hoses for filter | 3 | Е | P | stored in blue tub with lid |
| 2 power cords | 3 | Е | P | very heavy |
| 1 cleaning tool rack | 3 | Е | P | |
| 3 shower stalls/curtains | 3 | Е | P | |

Contents of Brut:

- 2 straw brooms
- 1 push broom
- 1 butler kit
- 2 squeegie short handle
- 1 small vac cleaner
- 1 neon yellow level 1 door rod for bay 4
- bungee cords

Contents of laundry supplies crates: bleach and spray nozzle, 2 squeegies, 4 scrub brushes liquid soap high efficiency type pinesol, trash bags, goo gone bounce, clothesline, pins, off, hand sanitizer

| 1 crate extension cords | 4 | Е | P | |
|-------------------------------|---|---|---|------------------------------------|
| 2 foam pads | 4 | Е | D | for packing propane |
| 1 tool box large tools | 4 | Е | D | orange box |
| 1 GE clothes washer | 4 | Е | P | |
| 1 GE clothes dryer | 4 | Е | P | |
| 1 box elec supplies | 4 | M | P | in red/green tub |
| 2 Rinnai water heaters | 4 | Е | P | with dollie and chains |
| 1 crate with misc supplies | 4 | M | P | bottle jack, straps, tiedowns, etc |
| 1 tool bucket with tools | 4 | Е | D | |
| 1 ammo case of plbg parts | 4 | M | D | |
| 1 crate sewer parts | 4 | M | D | extra clamps/hose,fittings |
| 1 tub sewer connections | 4 | Е | P | for draining trailer |
| 2 crates graywater drng lines | 4 | M | P | |
| 2 300' 3/4" waterhose/spools | 4 | Е | P | |
| 4 110 # propane tanks | 4 | E | P | |
| 1 propane tank tree | 4 | E | P | with chain and come along |
| 4 bags tenting | 4 | Е | D | divided by side,poles,top,poles |
| 3 small spools elec cord | 4 | Е | P | |
| 1 tub water hose & gas | | | | connecting heaters to water & gas |
| connections | 4 | E | P | sources |
| | | | | |
| | | | | |
| | | | | |

SERVICE CODE: E=EQUIPMENT M=MAINTENANCE D=DISPOSABLES/ REPLACE FREQUENTLY

PURCHASE CODE: P=PURCHASED D=DONATED

| Clorox wipes | 5 | D | D | |
|-------------------------------|---|---|---|--------------------------------------|
| 4 clipboards w/pprwork | 5 | Е | P | |
| fabric softener sheets | 5 | D | D | |
| 1 tray laundry pins w/beads | 5 | Е | P | |
| 1 4 tray stkr of pins w/bead | 5 | Е | P | |
| cleaning supplies | 5 | D | D | |
| latex gloves | 5 | D | D | |
| clothespins/bag/line | 5 | Е | D | |
| 13 gal trashbags | 5 | D | D | |
| 1 container misc med supply | 5 | D | D | |
| 1 tray laundry pens,pins,tags | 5 | D | D | |
| ziplock bags | 5 | D | D | Qrt,gal,pint, sdw,snack |
| 30 gal trshbags | 5 | D | D | |
| insect repellent | 5 | D | D | |
| tshirt sacks | 5 | D | D | donated by wal mart |
| hand sanitizers | 5 | D | D | |
| indiv hand sanitize | 5 | D | D | |
| 1 laundry basket | 5 | L | D | |
| shout | 5 | D | D | |
| bleach | 5 | D | D | |
| | - | 1 | | |
| 6 large plastic tubs | 5 | E | D | |
| 2 foldup bag chairs | 5 | E | D | |
| 1 flyswatter | 5 | Е | D | |
| 2 50 #propane tanks | 5 | E | D | |
| 1 std hot water heater | 5 | Е | D | |
| sewer hose | 5 | E | P | |
| 1 spare tire | 5 | Е | P | |
| 1 portable step for entering | 5 | Е | D | store in door well of laundry trlr |
| 1 brut | 5 | E | D | |
| water line hard plastic | 5 | Е | P | |
| electric Cord | 5 | E | P | |
| pprwrk for laundry trlr eq | 5 | Е | P | |
| 1 water purification kit | 5 | Е | P | in tub with 2 water hoses for hookup |
| | | | | |
| | | | | |

| 1 spare tire for shower trlr | Е | P | front extension, exterior |
|------------------------------|---|---|---------------------------|
| 2 20# propane tanks | Е | P | front extension, exterior |
| | | | |

TROUBLE SHOOTING

Problems with/in Shower/laundry units

PROBLEM

POSSIBLE CAUSE

WHAT TO DO

| In laundry room | Propane L Smell re | No power B |
|---|---|---|
| Loose connection or valve at rear of dryer | Loose connection at: bottles, tank, regulators, dryer, or hot water heaters | Breaker tripped Not plugged in to trailer Not supplied with 220 power or generator |
| Recheck with spray solution Tighten fitting. If problem continues, remove and cap fitting at outside left of trailer. Report this for correction. | Turn off ignition sources Use spray bottle of soap solution and spray connections one at a time | Check electric panel box, reset breaker Unplug and replug at all sources Check wiring connections Is generator running properly |

| Air conditioners Won't turn on or slow to start | No power See Note 1 Turning on all units at same time | See NOTE 1 Turn all units off. Restart one unit at a |
|---|--|--|
| Not cooling Not heating Water drip inside trailer | Thermostat set too high Thermostat set too low Trailer not level Humidity/weather | time Reset thermostat setting Reset thermostat setting Level trailer Adjust thermostat |
| Water Supply/temperature Too hot | Interruption in electrical current. Unit resets at 140 degrees with any | Turn off all water usage. Using © on controls, set temperature at 104-106 |
| Thermostat does not reflect temperature setting | No power to unit | Check electrical connections Call service man |

| No ignition | Air in propane lines | Bleed propane line at outside dry |
|---|---|---|
| | | connection. Also check water flow by |
| | | opening hot water valves on shower to |
| | | eliminate air blockage. |
| No water flow to showers and washer | Water valve shut off at intake | Check external connections and internal |
| | Water valve shut off at water manifold in | manifold valve. For washer check |
| | rear bathroom | valves above washer. Also, check for |
| e de la company de la contrada de la company de la comp | | kink in hoses. |

| Awnings not extending Doors rubbing on canvas Awnings will not extend or retract Showers: Little or no water coming out of shower head Shower drain Trailer level Upper support/adjustable arms partially support poles Awning supports not fully extended Release switch in wrong position Debris in head Possible debris in drain lines or back flow from washer discharge Unit slanted toward front Unit slanted toward front Upper support/adjustable arms partially support poles Extend awning supports fully Extended Trip switch to appropriate position Remove shower head and clean Trum off showers and washer and determine if proper drainage is restored. If not, check all pipe connections and discharge into sewer drain Check level and correct level or slight tilt | to rear | | |
|--|---|---|--|
| Upper support/adjustable arms partially locked, will not slide Awning supports not fully extended Release switch in wrong position Debris in head Possible debris in drain lines or back flow from washer discharge | Check level and correct level or slight tilt | Unit slanted toward front | Trailer level |
| on canvas ot extend or retract tle or no water coming out Debris in head Possible debris in drain lines or back flow from washer discharge | If not, check all pipe connections and discharge into sewer drain | ном пош малым австагво | |
| on canvas ot extend or retract tle or no water coming out Upper support/adjustable arms partially locked, will not slide Awning supports not fully extended Release switch in wrong position Debris in head | Turn off showers and washer and | Possible debris in drain lines or back | Shower drain |
| Upper support/adjustable arms partially locked, will not slide Awning supports not fully extended Release switch in wrong position ing out Debris in head | | | of shower head |
| Upper support/adjustable arms partially locked, will not slide Awning supports not fully extended Release switch in wrong position | Remove shower head and clean | Debris in head | Showers: Little or no water coming out |
| Upper support/adjustable arms partially locked, will not slide Awning supports not fully extended | Trip switch to appropriate position | Release switch in wrong position | Awnings will not extend or retract |
| Upper support/adjustable arms partially locked, will not slide | Extend awning supports fully | Awning supports not fully extended | Doors rubbing on canvas |
| Upper support/adjustable arms partially | support poles | locked, will not slide | (|
| | Loosen star knobs or extend adjustable | Upper support/adjustable arms partially | Awnings not extending |

| turnbuckle Attach safety chain around cross member and attach to eyelet Tighten turnbuckle | Turnbuckle loose | |
|--|---------------------------|--------------------------------------|
| turnbuckle | | |
| | Safety chain not secured. | |
| Attach and or tighten chain by turning | Lower step tilts to rear | Steps vibrating out of storage racks |
| | | T :: 1 :: 01 :: . |
| | | |
| | | |
| | | |
| | | |

| Lights – 12 volt Interior not working | 12-volt system breakers thrown, battery not charged or bulbs burned out | Reset breakers, plug battery electric cord into electrical receptacle to recharge battery, replace bulbs |
|--|---|--|
| Travel lights not working properly Lights dimming or flickering | Loose connection at lights or at vehicle receptable Too much pull on electrical system | Check, repair, or correct connections Reduce usage if possible until units around are through with their work |
| Stowed items moved or damaged during travel, (propane bottles, machines) | Items not properly secured | Check all tie downs, Check floor clips for loose fittings |
| Tires running low or hot | Low air pressure caused by leakage or damage to tire | Check inflation and for visible damage to walls or tread. Check valve stem. |
| Rear tires running hot | Underinflation or trailer not level | Inflate tires or level trailer |
| Dryer unit fails to start or heat | Insufficient gas supply Broken or damaged igniter | Check propane connection and gas supply Check and or replace igniter(Igniter is located behind front lower right corner of |
| | Not plugged in to electric supply Burned out heating element | dryer panel) Is dryer connected to electric? Replace heating element |
| Acid smell in Shower Master area (room 1) | Overcharged 12 volt battery Faulty battery | Unplug battery system from electric power source. Check battery vent connections Check battery connections |

Things to check:

resources and lessened efficiency of equipment. Splice or replace hoses as needed. Daily, check all hoses for leaks at connections or in line. Pinholes develop in high-pressure lines, causing unnecessary waste of

Dryer lint trap cleaned with every load. External vent should be cleaned weekly.

Information for Shower/Laundry equipment is stored in bay 1. This includes: Manuals for HE washer/dryer

Rinnai papers

Warranties


Master manual for unit.


Manuals for standard washers/driers Information for Laundry unit equipment is in upper cabinet, folding cabinet side. This includes:


Master manual for unit.




A Walk Around the Trailers









Leveling the trailer







Getting electricity to the trailer




Remove operating equipment from room four, ie.
Propane tanks & water heaters


Possible Propane sources











Gas connection to heaters and dryers




















Water Connection








Sewer connection
















Setting up the steps


















Setting Up
Awnings
(A 2 to 3 person operation)


























Closing the Awnings (A 2 to 3 person operation)



























Preparing Shower Area & Stalls






















Room 4 Laundry Room














Wash tub, mop and broom area





Processing Personal Laundry


















Room 1 (Shower master quarters)











Misc. information around the shower trailer.







































SHOWER/LAUNDRY CLEANING and SANITATION PROCEDURE

SHOWER LAUNDRY AND LAUNDRY TRAILER

DAILY

Sweep floors

Clean up clutter

Wipe tops of washers and dryers

Clean insides of washers and dryers

Check outside dryer lint traps

Check inside dryer lint traps after every load

Empty trash cans

TWICE WEEKLY

Mop floors

SHOWER ROOMS

EVERY USE

Spray with bleach solution

Remove trash

Check rugs for wetness, replace if needed

Replace towel, wash cloth, shampoo and soap

DAILY

Wipe down shower walls at close of day

Wipe down shower stools at close of day

Sweep dressing area floors, mop as needed

Change rugs at each shower stall

Empty trash cans

TWICE WEEKLY

Clean floors of showers with Dow Scrubbing Bubbles or other deep cleaning solution. Scrub with small brush. (Don't mix bleach and any other cleaning product)

WEEKLY

Remove shower curtains, wash and hang outside to dry.
Rehang or use another set of curtains
Clean air conditioner filters
Wipe ceiling around air conditioners

OUTSIDE AREA

DAILY

Keep tables clean and supplies stocked
Clean outside sink
Sweep approach area around trailer (hose down or sweep)
Wipe trailer wall around outside sink
Replace towel (or paper towel roll as needed)
Check soap and heavy duty hand cleaner
Check for plugged drain line

LAUNDRY PREPARATION

- 1. We encourage people to bring laundry every day if possible, rather than waiting for several days. Encourage the Blue Cap and the person in charge of the Support Organization personnel to tell their people.
- 2. When laundry is brought in, one worker handles that persons laundry until it is sorted.
 - A. Relief worker signs ticket (see example below)
 - B. Laundry is counted (example shows 6 pieces) and recorded in appropriate boxes.
 - C. Assign a colored set of beaded pins and write those colors in color code box.
 - 1. Always be careful not to use the same set of colored beads twice.
 - 2. After choosing a colored set move the clothes pin to the next available set that will be used.
 - D. Place a beaded pin on each garment. Place pins on shirt collars, where pants fasten, on the banding of undergarments and pin socks together.
 - E. Hang ticket with clothes pin on the ticket line, color code side down.
 - F. Sort laundry into baskets darks, lights, and whites
 - G. When needed, use degreaser to remove oil etc. from clothes.
 - H. Use bleach when washing whites, towels, and kitchen items.
 - I. Always wash clothes in order, example, darks, lights, and then whites.
 - 1. At some point record the information on the laundry slip in the notebook.

| Example: | Assoc. | <u>Name</u> | <u>Items</u> | Color |
|----------|-----------------------|-------------|--------------|-------------|
| | R.C. (Red Cross) | John Doe | 6 | Red/Yellow |
| | B.R. (Baptist Relief) | Jane Smith | 4 | Green/White |

- 2. If things get hectic, you can go back and do this. It helps a lot if you have any lost items.
- J. After clothes are dried and sorted by pin color, fold and then remove pins. Place each clients laundry in a bag, close it, pin laundry ticket on the bag and place on pick-up table. Do not remove pins until all items are washed, dried, folded and counted.
- K. Place all pins back into their proper place in the pin container.

| John Doe 6 | LAUNDRY SLIP |
|---|--------------|
| NAME # OF PIECE □ BAPTIST RELIEF X RED CROSS □ MILITARY □ FEMA □ OTHER | Red and |
| Pants, Shorts 1 Shirts, T's, Blouses 1 Pairs of Socks | Yellow |
| 2 Undergarments Aprons, Kitchen Items 1 Handkerchief | COLOR CODE |
| | |